Sally K. Ride Papers - Climate Change Committees /Speeches [including a few by Ride]

Extracted on Apr-23-2024 09:52:13

The Smithsonian Institution thanks all digital volunteers that transcribed and reviewed this material. Your work enriches Smithsonian collections, making them available to anyone with an interest in using them.

The Smithsonian Institution (the "Smithsonian") provides the content on this website (transcription.si.edu), other Smithsonian websites, and third-party sites on which it maintains a presence ("SI Websites") in support of its mission for the "increase and diffusion of knowledge." The Smithsonian invites visitors to use its online content for personal, educational and other non-commercial purposes. By using this website, you accept and agree to abide by the following terms.

- If sharing the material in personal and educational contexts, please cite the Smithsonian National Air and Space
 Museum Archives as source of the content and the project title as provided at the top of the document. Include
 the accession number or collection name; when possible, link to the Smithsonian National Air and Space
 Museum Archives website.
- If you wish to use this material in a for-profit publication, exhibition, or online project, please contact Smithsonian National Air and Space Museum Archives or transcribe@si.edu

For more information on this project and related material, contact the Smithsonian National Air and Space Museum Archives. See this project and other collections in the Smithsonian Transcription Center.

V. GLOBAL STANDARDS FOR OBSERVING SYSTEMS GLOBAL INFORMATION SYSTEM TEST (GIST)

Introduction

The year 1992 will occur in the midst of an extraordinary surge of Earth observation activity among spacefaring nations. For NASA, 1992 will be a critical time in the development of the Earth Observing System to be launched aboard polar platforms later in the 1990's as the centerpiece of an evolving international Earth System Observing Program. The TOPEX/Poseidon and Upper Atmosphere Research Satellite (UARS) should be ready for launch as a major contribution to the study of ocean dynamics and the ozone layer. Internationally, both the European Space Agency's Earth Resources Satellite (ERS-1) and possibly the Japanese JERS-1 should be starting to make major contributions to the study of the earth. In addition, various countries which already have satellites in place are expected to continue their meteorological, land, and ocean observations.

Many of the potential benefits of those extremely important (and costly) missions will be lost, however, unless steps are taken to standardize their output and make it available to the world at large. A critical first step, which could be a centerpiece of the ISY, would be a Global Information System Test, a so-called "end-to-end data system test," in which selected satellite data streams and in situ ground measurements would be organized, analyzed, and distributed in a manner opening them up to truly global usage. The experience gained in such a pilot program would be of inestimable value in the development of the much more ambitious plans for the data and information system associated with polar platforms.

Demonstration projects for data access and evaluation should be carefully chosen for their probable utility to a broad group of international scientific users, and preferably in the context of established research projects expected to be then underway, such as the detection of the greenhouse effect on climate and the Tropical Oceans Global Atmosphere Program (TOGA). They should be limited in scope, but truly end-to-end tests of the conversion of data to useful information. They should draw upon developments in networking and electronic communications worldwide, starting in the development mode but, where appropriate, building to near-real-time processing and distribution. Consideration should also be given to new techniques of digital publishing such as CD-ROM, and to providing proper attribution in scientific literature to creative contributions in the preparation and evaluation of data sets and derived information. However, most important is to establish patterns of interaction between the research community and data management and instrument professionals that develop the full potential of the entire ongoing observing system, both space-base and in situ.

GLOBAL STANDARDS FOR OBSERVING SYSTEMS

Documenting changes in our global environment requires sustained long-term measurements of established accuracy. The adequacy of present activities will be tested two or more decades from now by our successors as they attempt to decide whether these intervening apparent changes are real or an artifact of the way the measurements were taken. Establishing the accuracy of analyzed measurement

V. GLOBAL STANDARDS FOR OBSERVING SYSTEMS GLOBAL INFORMATION SYSTEM TEST (GIST)

Introduction

The year 1972 will secure in the malest of an extraordinary suape of frash substruction activing another graved wine presents. For NASI, 1970 will be present similar to the development of the fairst. Observing Systems to be insuched another places of the fairst. Observing Systems to be insuched another places on the 1990s, as the crusterplace of an excluding homeomoral Earth Systems Observing Departs. The CPEE, Chromother and Upper Association (CPEE, Chromother and Upper Association to the seasy of colors objective and the association to the seasy of colors objective and the association to the seasy of colors objective and possibly the Improved ASIGN (CPEE) in only possibly the Improved ASIGN (CPEE) in obtaining the colors to the colors of the season in Outliers, reviews constitute which alouated have madeline in place are important to continue to the membrane object, along the season is understand to continue to their recoverable places are unpercade to continue to their recoverable places.

Many of the potential benefits of those extensively important (and could) includes with the lost, however, unless toggese lates to another fact to the lost, bowever, and that toggeter and the lost of the lost of the sense of the could be a to-the world as large. A principal fiest copy, which could be a contraject of the EX, would be a Could information 8 yeleon Text, as a spirit first of the lost of the sense of the sense control conflict data scename and in sizing proofer devicemnance could be organized, analyzed, and described in a manner sponge, from up to tenty plotted steps. The expensions pained in each a plott program would be of incationable often to the development of the metals more underlined painer for the data and information system associated with polar printforms.

Demonstration projects for data society and evaluation observed by consistent of the production unity to a break proof of immunication security exercise proof of international security exercise properties by the properties of the production of the properties properties the properties produced by the production of the properties of the production of the properties of the production of the

GLOBAL STANDARDS FOR OBSERVING SYSTEMS

Deciminating charges in our global environment requessantiand long-with measurements of caroliched accuracy. The abiquary of present activities will be bested to our more character from each by our recorders as they assump to decide the season by our recorders as they assump to decide the season of the contract the present and to can artifact of the way for measurements water taken. Englishing the accuracy of analysis of exacurations products required both is also accurate from easy of decides, commiss and occasis, and intercomparisons between smaller seasing systems. Many activities are already underway atthrosting aspects of those requirements.

A mechanism must be established by:

- Essare the long-term accuracy of sequired global measurements.
- Facilities exchange of data and data products between participating agencies/restries, and
- · Coordinate the work of existing groups.

The accuracy of a global measurement depends on the following elements that lead to the analyzed product on a global scale:

· Gesphysical Parameters

A clear difficulty has extend in relating a.m. quantities of covered from pure platform to the natural grouphysidal parameter of interior. For a protection cumple, we clear for repeated on the control of the protection of the control of the protection of the separation which extend the major of the vegetation which extend to the major of the protection which extend to the major of the protection which extends to the major of the protection which extends the protection of the control of the protection of the description of the composition of the control of

. Sampling in Time and Space

Addressing the requirements for temporal and spatial sampling of a gaugelystical parameter depends upon the characteristic lifetime and physical dimension of the phe-

11

products requires both in situ measurements from many different countries and oceans, and the intercomparisons between satellite sensing systems. Many activities are already underway addressing aspects of these requirements.

A mechanism must be established to:

- Ensure the long-term accuracy of required global measurements;
- Facilitate exchange of data and data products between participating agencies/countries; and
- · Coordinate the work of existing groups.

The accuracy of a global measurement depends on the following elements that lead to the analyzed product on a global scale:

· Geophysical Parameters

A clear difficulty has existed in relating e.m. quantities observed from space platforms to the actual geophysical parameter of interest. As a particular example, we cite the vegetation index derived from space sensors and its interpretation in terms of the specific nature of the vegetation which exists at the surface. Does the index relate to the mass of vegetation per square meter or to the density of forest canopy cover independent of the cover on the forest floor? Or is it too dependent upon seasonal variability (e.g., soil moisture and associated vegetation stress) or vegetation type to be useful as a direct monitor of vegetation? The scientific community needs to standardize definitions of how the geophysical parameter to be monitored may be measured or estimated from space. These definitions should not be instrument specific, but defined in terms of radiometric or electromagnetic variables. Such procedures are essential if we are to incorporate properly the in situ gathered information.

Sampling in Time and Space

Addressing the requirements for temporal and spatial sampling of a geophysical parameter depends upon the characteristic lifetime and physical dimension of the phe

18

Sally K. Ride Papers - Climate Change Committees /Speeches [including a few by Ride]
Transcribed and Reviewed by Digital Volunteers
Extracted Apr-23-2024 09:52:13



Smithsonian Institution

Smithsonian National Air and Space Museum Archives

The mission of the Smithsonian is the increase and diffusion of knowledge - shaping the future by preserving our heritage, discovering new knowledge, and sharing our resources with the world. Founded in 1846, the Smithsonian is the world's largest museum and research complex, consisting of 19 museums and galleries, the National Zoological Park, and nine research facilities. Become an active part of our mission through the Transcription Center. Together, we are discovering secrets hidden deep inside our collections that illuminate our history and our world.

Join us!

The Transcription Center: https://transcription.si.edu
On Facebook: https://www.facebook.com/SmithsonianTranscriptionCenter

On Twitter: @TranscribeSI

Connect with the Smithsonian Smithsonian Institution: www.si.edu

On Facebook: https://www.facebook.com/Smithsonian

On Twitter: @smithsonian