

Cyanerpes (Honeycreepers), one page on "chachalacas" birds, 1963

Extracted on Apr-19-2024 04:27:09

The Smithsonian Institution thanks all digital volunteers that transcribed and reviewed this material. Your work enriches Smithsonian collections, making them available to anyone with an interest in using them.

The Smithsonian Institution (the "Smithsonian") provides the content on this website (transcription.si.edu), other Smithsonian websites, and third-party sites on which it maintains a presence ("SI Websites") in support of its mission for the "increase and diffusion of knowledge." The Smithsonian invites visitors to use its online content for personal, educational and other non-commercial purposes. By using this website, you accept and agree to abide by the following terms.

- If sharing the material in personal and educational contexts, please cite the Smithsonian Institution Archives as source of the content and the project title as provided at the top of the document. Include the accession number or collection name; when possible, link to the Smithsonian Institution Archives website.
- If you wish to use this material in a for-profit publication, exhibition, or online project, please contact Smithsonian Institution Archives or transcribe@si.edu

For more information on this project and related material, contact the Smithsonian Institution Archives. See this project and other collections in the Smithsonian Transcription Center.


Cyanerpes, Nov. 5, 1957, II. 6 upwards (sometimes almost vertically), head more or less pulled back, and neck more or less stretched upward i.e. in postures quite reminiscent of typical BU. This whole performance looked quite high intensity; so perhaps the G is as high intensity as, or even higher than, the Wh, only containing a stronger escape element.

[[image]] Extreme "retreat BU" by with G.

I also saw some more typical "friendly" BU's with Wh, directed by the at the [[underline]] Cyanerpes [[/underline]]. These were with slight CR; but much less than most of the corresponding performances by the . The has CR almost constantly while I am watching him and/or any other bird is nearby.

Cyanerpes, I November 6, 1957 Barro Colorado

I have now put the 2 birds in the outside aviary. They attract another , in full breeding plumage, who just sits for hours, looking at them, with constant CR. No trace of song.



Cyanerpes (Honeycreepers), one page on "chachalacas" birds, 1963 Transcribed and Reviewed by Digital Volunteers Extracted Apr-19-2024 04:27:09



The mission of the Smithsonian is the increase and diffusion of knowledge - shaping the future by preserving our heritage, discovering new knowledge, and sharing our resources with the world. Founded in 1846, the Smithsonian is the world's largest museum and research complex, consisting of 19 museums and galleries, the National Zoological Park, and nine research facilities. Become an active part of our mission through the Transcription Center. Together, we are discovering secrets hidden deep inside our collections that illuminate our history and our world.

Join us!

The Transcription Center: https://transcription.si.edu
On Facebook: https://www.facebook.com/SmithsonianTranscriptionCenter

On Twitter: @TranscribeSI

Connect with the Smithsonian Smithsonian Institution: www.si.edu

On Facebook: https://www.facebook.com/Smithsonian

On Twitter: @smithsonian