

Cleofe Calderon- Brazil, 1976, Vol. 2

Extracted on Apr-23-2024 05:21:15

The Smithsonian Institution thanks all digital volunteers that transcribed and reviewed this material. Your work enriches Smithsonian collections, making them available to anyone with an interest in using them.

The Smithsonian Institution (the "Smithsonian") provides the content on this website (transcription.si.edu), other Smithsonian websites, and third-party sites on which it maintains a presence ("SI Websites") in support of its mission for the "increase and diffusion of knowledge." The Smithsonian invites visitors to use its online content for personal, educational and other non-commercial purposes. By using this website, you accept and agree to abide by the following terms.

- If sharing the material in personal and educational contexts, please cite the Smithsonian Institution Archives as source of the content and the project title as provided at the top of the document. Include the accession number or collection name; when possible, link to the Smithsonian Institution Archives website.
- If you wish to use this material in a for-profit publication, exhibition, or online project, please contact Smithsonian Institution Archives or transcribe@si.edu

For more information on this project and related material, contact the Smithsonian Institution Archives. See this project and other collections in the Smithsonian Transcription Center.

Anomochloa marantoidea Brongniart Bahia, Brazil

Mun. de Una. Elev 180-190 m. Dark, humid forest on steep, rocky slope of mixed, rich soil. Very large trees and abundant Marantaceae, Rutaceae, and many ferns in the understory. Also common a small [[underlined]] Olyra {{/underlined]] sp. (CEC et al. 2382), [[underlined]] Pharus [[/underlined]] sp., etc. Forming thick, large clumps, mature plants up to 80 cm tall; near the edge of forest, in slightly distrubed areas, plants shorter and in smaller clumps. Graceful dark green, thin leaves with sheath wide open, flat, all in one plane (Iris type). Each new plant develops in right angles to the previous.

21 April 1976 Cleofe E. Calderon, Talmon S. Santos, and Lyselson B de Oliveira 2381 Amenachica movementales Broomistatis.

Man. do tim. Elev. 180-190 m. Dark, hunds forces on steep, then y slove of mixed, yich cold. Your large treed and relay slove of mixed, yich cold. Your large treed and shumment darwinces, Schoones, and sony ferms in the understandant three schools and the large charge, rather plants ghards gharm and the cold of th

Cleofe Calderon- Brazil, 1976, Vol. 2 Transcribed and Reviewed by Digital Volunteers Extracted Apr-23-2024 05:21:15



The mission of the Smithsonian is the increase and diffusion of knowledge - shaping the future by preserving our heritage, discovering new knowledge, and sharing our resources with the world. Founded in 1846, the Smithsonian is the world's largest museum and research complex, consisting of 19 museums and galleries, the National Zoological Park, and nine research facilities. Become an active part of our mission through the Transcription Center. Together, we are discovering secrets hidden deep inside our collections that illuminate our history and our world.

Join us!

The Transcription Center: https://transcription.si.edu
On Facebook: https://www.facebook.com/SmithsonianTranscriptionCenter

On Twitter: @TranscribeSI

Connect with the Smithsonian Smithsonian Institution: www.si.edu

On Facebook: https://www.facebook.com/Smithsonian

On Twitter: @smithsonian