

H. G. Dyar, Bluebook 197-212, 1890-1895

Extracted on Apr-19-2024 08:14:49

The Smithsonian Institution thanks all digital volunteers that transcribed and reviewed this material. Your work enriches Smithsonian collections, making them available to anyone with an interest in using them.

The Smithsonian Institution (the "Smithsonian") provides the content on this website (transcription.si.edu), other Smithsonian websites, and third-party sites on which it maintains a presence ("SI Websites") in support of its mission for the "increase and diffusion of knowledge." The Smithsonian invites visitors to use its online content for personal, educational and other non-commercial purposes. By using this website, you accept and agree to abide by the following terms.

- If sharing the material in personal and educational contexts, please cite the Smithsonian Institution Archives as source of the content and the project title as provided at the top of the document. Include the accession number or collection name; when possible, link to the Smithsonian Institution Archives website.
- If you wish to use this material in a for-profit publication, exhibition, or online project, please contact Smithsonian Institution Archives or transcribe@si.edu

For more information on this project and related material, contact the Smithsonian Institution Archives. See this project and other collections in the Smithsonian Transcription Center.

* [[brown?]] divergent hooks. No wing cases, leg cases small. Color semitransparent shiny very pale yellowish with no marks. Over the dorsum considerable fine rather long (2 mm) whitish [[strikethrough]] downy [[strikethrough]] [[insertion]] silky [[/insertion]] hair. L 18 mm greatest [[checkmark]] diam 8 mm [See under 197]

absent on 2 where it is replaced by the pale yellow c-spot containing 2 darker yellow wart, narrow & [[germish?]] on 3, 4 widening & enclosing the [[insertion]] ^ yellow [[/insertion]] dorsal tufts on 5-8, narrower 9-12, enclosing the concolorous tubercles on 10 & 11, absent [[on 13?]] A narrow s-d & fainter stig similarly colored line. These bands are in [[some?]] more or less blackish [[insertion]] ^ or black, blue gray or dark brown [[/insertion]] and there is a velvety black spot bet. dorsal tufts on joints 6, 7 & 8. Warts all [[insertion]] ^ pale [[/insertion]] yellow. Pencils on j. 2 long, plumed, black, that on 12 of light brown hair with a few long black plumed ones on its back [[insertion]] post [[/insertion]] side Other hair [[thin?]], long, [[checkmark]] white. Ckd 12/18/90


[[underline]] Molt Aug 5 [[overwritten]] 7 [[/overwritten]] [[/underline]] Hd pale yellow minutely mottled with grayish spots, [[?]] antenna & spot below eyes white, eyes & [[jaw?]] black. W 3.5 mm Body as before. The warts in c-spot are not distinctly darker. The dorsal blackist [[insertion]] or pale gray [[/insertion]] shade is in triplicate on 3 & 4. Spiracles white in fine black border. Body often bright yellow, dorsal tufts yellow pale & even hair yellowish. [[checkmark]] (Another hd 3.5 mm) [[underlined]] Coon. Aug 10 [[/underlined]] of silk & hair, double [[but this the J?]] seen through. [[checkmark]] [[underlined]] Pupa Aug 12 [[/underlined]] [[female symbol]] Robust, thickest through 2-4 abd segs, thorax 2 [[hd?]] small, rest of body smaller near even width, last segs rounded, cremaster flat rather broad at base, terminating in a [[wit?]] [[checkmark]] of *

[[end page]] [[start page]]

[[top margin note]] Calc 1.17 1.78 2.70 4.09 [[underlined]] 6.2 [[/underlined]] v.66 found - - 2.6 4.2 6.2 [[arrow from note to "W.26" on fourth line below]] greater 2.5 less 3

200

Little luna on butternut Ulster Co [[underlined]] July 7 [[/underlined]] Hd. minutely pilose sparsely, leaf green. Eyes whitish on black ground, mouth brown & black. W [[image - line ending in arrow to top margin note]] 2.6 Body enlarged dorsally on each seg especially on 3 & 4, three rows of [[insertion]] ^ segmentary [[/insertion]] tubrecels bearing one or more spiny hairs [[circled]] 1 [[/circled]] s-d, on 12 only one tubercle dorsal [[circled]] 2 [[/circled]] lateral absent on j2 [[circled]] 3 [[/circled]] sub stig absent on 13 and a minute one on joints 2, 3 & 4 above bases of legs. Rows [[circled]] 1 [[/circled]] & [[circled]] 3 [[/circled]] rose color, row [[circled]] 2 [[/circled]] greenish Hair black. Body [[insertion]] ^ translucent [[/insertion]] yellowish green a sub stig pale yellow based, just below spiracles. Posteriorly on each joint 5-11 is a similarly colored transverse line also on anal plate. Tho. feet brown shaded with black. abd. green with a black line and yellowish shade above it outside Length



H. G. Dyar, Bluebook 197-212, 1890-1895 Transcribed and Reviewed by Digital Volunteers Extracted Apr-19-2024 08:14:49



The mission of the Smithsonian is the increase and diffusion of knowledge - shaping the future by preserving our heritage, discovering new knowledge, and sharing our resources with the world. Founded in 1846, the Smithsonian is the world's largest museum and research complex, consisting of 19 museums and galleries, the National Zoological Park, and nine research facilities. Become an active part of our mission through the Transcription Center. Together, we are discovering secrets hidden deep inside our collections that illuminate our history and our world.

Join us!

The Transcription Center: https://transcription.si.edu
On Facebook: https://www.facebook.com/SmithsonianTranscriptionCenter

On Twitter: @TranscribeSI

Connect with the Smithsonian Smithsonian Institution: www.si.edu

On Facebook: https://www.facebook.com/Smithsonian

On Twitter: @smithsonian