

Smithsonian Institution Harvard-Smithsonian Center for Astrophysics

Project PHaEDRA - Annie Jump Cannon 17

Extracted on Apr-19-2024 03:49:30

The Smithsonian Institution thanks all digital volunteers that transcribed and reviewed this material. Your work enriches Smithsonian collections, making them available to anyone with an interest in using them.

The Smithsonian Institution (the "Smithsonian") provides the content on this website (transcription.si.edu), other Smithsonian websites, and third-party sites on which it maintains a presence ("SI Websites") in support of its mission for the "increase and diffusion of knowledge." The Smithsonian invites visitors to use its online content for personal, educational and other non-commercial purposes. By using this website, you accept and agree to abide by the following terms.

- If sharing the material in personal and educational contexts, please cite the Harvard-Smithsonian Center for Astrophysics as source of the content and the project title as provided at the top of the document. Include the accession number or collection name; when possible, link to the Harvard-Smithsonian Center for Astrophysics website.
- If you wish to use this material in a for-profit publication, exhibition, or online project, please contact Harvard-Smithsonian Center for Astrophysics or transcribe@si.edu

For more information on this project and related material, contact the Harvard-Smithsonian Center for Astrophysics. See this project and other collections in the Smithsonian Transcription Center.

[[preprinted]] 50 [[/preprinted]]

February 8, 1907

[[checkmark]] X 11378 S.M.P. 86, A.G [[^checkmark above G]].C. 476 K

[[checkmark]] X 11380 S.M.P. 7602, A.G.C [[^checkmark above C]]. 30875 (1) K Absorption very great. [[checkmark]] (2) A5F, A.G.C. 30779

X 11381 pi Scorpii [[underline]] Lines [[/underline]] double, fainter component towards red.

X 11382 mu ^[[1,2]] Scorpii Lines double Fainter component towards violet.

X 11383 delta Sag. Excellent. Lines remarkably sharp. Faint phase of the hydrogen lines. Peculiar.

[[end page]] [[start page]]

[[preprinted]] 51 [[/preprinted]]

February 8, 1907

X 11384 pi Scorpii Lines hazy

X 11386 mu ^[[1]] Scorpii Lines double Fainter component towards red.

X 11387 nu Sag. Pec. Faint phase of hydrogen lines.

X 11389 pi Scorpii Lines wide & hazy.

X 11390 mu ^[[1]] Scorpii Lines wide, probably double but separation not well marked.

51 X11378 J.m. P.16, 2.3. Laple

Project PHaEDRA - Annie Jump Cannon 17 Transcribed and Reviewed by Digital Volunteers Extracted Apr-19-2024 03:49:30



Smithsonian Institution

Harvard-Smithsonian Center for Astrophysics

The mission of the Smithsonian is the increase and diffusion of knowledge - shaping the future by preserving our heritage, discovering new knowledge, and sharing our resources with the world. Founded in 1846, the Smithsonian is the world's largest museum and research complex, consisting of 19 museums and galleries, the National Zoological Park, and nine research facilities.Become an active part of our mission through the Transcription Center. Together, we are discovering secrets hidden deep inside our collections that illuminate our history and our world.

Join us! The Transcription Center: https://transcription.si.edu On Facebook: https://www.facebook.com/SmithsonianTranscriptionCenter On Twitter: @TranscribeSI

Connect with the Smithsonian Smithsonian Institution: www.si.edu On Facebook: https://www.facebook.com/Smithsonian On Twitter: @smithsonian